

DKM SAIS HD



1U Rack Mount Keyboard Monitor Console Resolution 1920×1080

DKM-17HD is a **light weight, short depth** solution that combines a keyboard, touch pad, 17.3" LCD monitor and a pair of amplified stereo speakers in 1U rack mount drawer. With the slide rails included, the unit can be fit into any standard rack chassis ranging from 14.5" – 24" deep. Clearance to raise the monitor is only 13" pull.

Light Weight, Short Depth Design

DKM-17HD is designed to fit in rack or cabinet that is short in depth. Minimum required length for installation is 14.5" and adjustable up to 24". Unit weighs only 20lbs.

17.3" LCD Monitor

The LCD monitor is built inside a slim and rugged aluminum housing for durability. The display mechanism is hinged so that it can be tilted to the most comfortable viewing position. LCD folds down on top of keyboard when recessed into the drawer. An auto shut-off switch will turn-off the power to the LCD monitor when the LCD is in recess position.

Power Supply and Ports

The LCD monitor is powered by a 60W 100-240V full-range power supply positioned at the back of the drawer with a rocker on-off switch. The keyboard, pointing device and video connectors are also positioned at the back of the drawer for easy access.

Security

A key locking mechanism locks the drawer when in the full recess position, to prevent unauthorized access.











Dimension and Weight

Height: 1.75" (1U)

Width: 19"

Depth: 14.5" - 24" adjustable

Weight: 20lbs

Operating Environment

Temperature: 0 to 50°C

Humidity: Meth 5%-95% RH, non-condensing

Altitude: 15,000 ft. Shock: 15g, 11ms

Vibration: 20-60Hz, 0.075mm Drop: 3 feet height free drop EMI & Safety: FCC Class B, CE

Storage Environment

Temperature: -20 to 60°C

Humidity: Meth 5%-95% RH, non-condensing

Altitude: 40,000 ft. Shock: 50g, 11ms

Vibration: 10-50Hz, 0.15mm

Drop: 3 feet height free drop

EMI & Safety: FCC Class B, CE

General Specifications

LCD size: 17.3"

Resolution: 1920×1080

Color: 262K

Brightness: 300 cd/m2

Contrast: 400:1 Response: 8ms

Video Input: VGA or DVI Interface: PS/2 or USB Mouse type: Touch pad

Sound: Amplified stereo speakers

faible profondeur : 14.5 pouces soit 36.8 cm

• Ecran wide 16:9 LED 1920 x 1080 - 17.3"

• Résolution 1920 x 1080 en natif

Interface graphique DVI ou VGA

Interface clavier/touchpad PS/2 ou USB

 Clavier AZERTY avec pavé numérique séparé, touchpad

Alim secteur 230 V AC intégrée



