

Optimize rack space. Maximize rack monitoring





(USB Port for device access)

The Annso range of LCD console drawers provides a variety of features that simplify to access servers to making system monitoring, troubleshooting and software upgrades.

The self-locking rails when in the fully extended open position and the ultra convenient auto lock release when the LCD panel is closed, make for simple and hassle free operation. Available with 17.3" Full HD A-Grade LCD panels, integrated 8 ports USB-DVI & Audio KVM switch.

Support USB HUB 2.0 and touch screen enable function.



Rear of KVM-1708WPD-M2



## **Features**

- Support USB-DVI & Audio interface.
- Support digital DVI and analog VGA input signal
- Front 1x USB, Rear 2x USB 2.0 Type A, Sharing USB peripheral Device for computer (ex, flash disk, hard driver, KB/Mouse).
- Additional two USB console port to add local KB/Mouse.
- Build in 2x 2 watts stereo speakers.
- Durable 104-key keyboard and touch pad.
- Quick and simple installation.
- Self-locking and auto release rails for ultra convenience.
- Port selection via push buttons or hotkey.

Part No.		KVM-1708WPD-M2					
Direct no. of Computers		8					
Maximum no. of Computers		8					
LCD	Size	17.3″					
	Backlight	LED					
	Resolution	1920*1080 FULL HD (support up to 1920*1200)					
	Max.color	262K					
	Luminance	300cd/m2					
	View Angel (H/V)	140 / 120					
	Contrast Ratio	650 : 1					
Port Selection		Push Button, Hotkey					
USB Local console		Yes , USB x2 for KB/ Mouse					
USB HUB		1x Front, 2xRear USB 2.0 Type A for Peripheral USB Device					
Touch Screen		Yes , for option ( Driver needed )					
KB/Mouse Emulation		USB					
Rack Depth		500mm to 1100mm ( rack cabinet front rails to rear rails )					
Power		100-240V AC 50/60Hz via IEC Type power cord					
Environment		Operation temp: 0 to 50℃ Storage temp: -20 to 60℃ Humidity: 10% - 90%, non-condensing Shock: 10G acceleration (11ms duration) Vibration: 17 to 500Hz 1G PTP					
Physical Dimensions / Net Weights		448x42x580mm (WxHxD) /12.5KG					
Packing Dimensions / Gross weights		715x140x780mm (WxHxD) / 18.5KG					
Accessory							
1.8meter IE	C Type Power Cord						
Option Rela	te Item						
CD-018	1.8meter DVI-D Cab	le CU-018 1.8meter USB Cable					
CA-018 1.8meter Audio Cable		le					

SACASA INDUSTRIES ET SYSTEMES BAT A6 Domaine de St Paul - 102 route de Limours- 78470 ST REMY LES CHEVREUSE - FRANCE tel : 09 54 16 23 53 - Fax : 09 59 16 23 53 - contact@sacasa.info - www.sacasa.info



USB 2.0 KB / Mouse	DVI Input 8 DVI	I Input 7 DVI Input	6 DVI Input 5	DVI Input 4	DVI Input 3	DVI Input 2	DVI Input 1
Local Console			ə <b>o</b> o   c				
	📮 🔉 🛛 📮						
AC Power USB HUB C ord Interface	Audio Input 8 Aud	idio Input 7 Audio Inj	out 6 Audio Input 5	Audio Input 4	Audio Input 3	Audio Input 2	Audio Input 1
Power S/W USB II	nput 8 USB Input 1	7 USB Input 6	USB Input 5 USB	Input 4 USB In	put 3 USB Ini	put 2 USB In:	out 1



## REAR OF KVM-1708WPD-M2



